

IO Master Simon 100

REF. 10000306-039



BASIC INFORMATION

DESCRIPTION

Do you need a Master that will allow you to centralize the blinds or the switch-off of the entire installation of light in your home? Of the Simon 100 series comes this Module Master iO. A switch master as it allows you to activate the functionalities to press the mechanism of natural way, in the same way as with any other device. This type of switches are also unify tasks by adding, in the same way, solutions according to the needs of each. Compatible with elements up to 16 Ampere current and 250 Volt voltage. This Simon 100 is the first series to incorporate the iO Simon system, being the switches in operation analog to digital. Thanks to this, it is possible to connect all types of devices, giving the spaces a greater comfort, more functionality and also a better appearance. A simple, comfortable and user-friendly, which saves time to the user. Master compatible with Simon 100 series frames.

FINISH

Black

PACKAGING CONTENTS

Mechanism and instructions

COMPATIBILITY

Simon 100 frames

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET CE	CONNECTIVITY PROTOCOL Z-wave	STORAGE TEMPERATURE RANGE (°C) -25 - 75 °C
CABLE SECTION ADMITTED (MM) From 1,5 to 2,5 mm	IP RATING IP20	VERSION Individual
NUMBER OF POSSIBLE ELEMENTS Half element	TYPE OF MECHANISM Push button rocker switch	VOLTAGE (V~) 127/230 V~
INDICATOR FUNCTION No	OPERATING TEMPERATURE RANGE (°C) 0 - 40 °C	
CURRENT (A) 10 AX	POWER SUPPLY (V~) 127/230 V~	

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 6	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	INSTALLATION TYPE Suitable for flush mounting
CLAW	INSTALLATION DIRECTION Horizontal	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053146743

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.035

PRODUCT NET WEIGHT

0.035

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053146743

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

55

PACKAGING WIDTH

40

PACKAGING LENGTH

65

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

143000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.45

PACKAGING NET WEIGHT

0.035

PACKAGING WEIGHT UNIT

KGM

