# Linker for surface-mount wall boxes white Simon 500 Cima

REF. **51040905-030**



## BASIC INFORMATION

### DESCRIPTION

The surface-mounted wall box linker of the Simon 500 Cima series is perfect to integrate into the environment boxes of the same series. It measures 61 x 30 millimetres and 14 millimetres of depth and is suitable for installation in wall-mounted surface-mounted housings. Its new design is characterized by its high capacity inclusive aesthetic which, in addition to the presented in white colour and will be increased to go unnoticed in any room or department where it is placed. The linker Simon 500 Cima also offers the possibility to provide the product with an extra fastening screwing the centre frames in the box, although to prior is not required. The material of high quality thermoplastic of which it is made is characterized by being self-extinguishing and halogen-free. This means that, in case of fire, are not propagate the fire and also reduces the toxicity of smoke, guaranteeing safety and giving the product value.

### FINISH

White

### MATERIAL

Plastic

### COMPATIBILITY

Surface-mount wall enclosures Simon 500 Cima

### PACKAGING CONTENTS

Linker for surface-mount wall boxes

### ETIM CLASS

EC002328

### REMARKS

Alternatively, you can screw the frame holders into the box if you need extra fastening.

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### KIT AVAILABILITY
No

### TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

### MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL
9003

### IP RATING
IP20

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COVER
Only with tool

### TYPE OF FASTENING
By placing the adaptor in the slots of the entries around the perimeter of the selected surface-mount wall box (no tools needed for fastening))

### INSTALLATION DIRECTION
Horizontal, Vertical

### INSTALLATION TYPE
Suitable for installing in surface-mount wall enclosures

## REGULATIONS

### REGULATIONS
Directive 2014/35/UE LVD + EN 60670-1:2005

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.004

PRODUCT NET WEIGHT
0.004

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053092361

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
57

PACKAGING WIDTH
76

PACKAGING LENGTH
76

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.329

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.04

PACKAGING WEIGHT UNIT
KGM


30
14
51
61