
Adaptor plate aluminium Simon 82

REF. **82088-33**



BASIC INFORMATION

DESCRIPTION

With a single gesture we can change the frames of the elements that make up the electrical systems in our homes or installations in companies. The aluminium adaptative Plate of the Simon 82 series, suitable for both surface-mounted or to be recessed, is perfect for this purpose. In addition to this shade, we are looking at a plate available in five different finishes. The security with which it has been manufactured, complying with the regulation UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009 standards, is a bonus, as is its price. The recommended temperature range is from 5º to 40º C, but this plate can withstand temperatures from -25º to 50º C, with a magnificent behavior in all kinds of environments. For maintenance and cleaning, it is sufficient to use a soft cloth slightly moistened in soapy water, avoiding abrasive cloths and / or abrasive cleaners containing chlorine. Changing a system has never been easier.

FINISH

Aluminium

MATERIAL

Plastic

PACKAGING CONTENTS

Plate

SYMBOL

Without engravings

COMPATIBILITY

Simon 27 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
No

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD|Dir. 2011/65/UE RoHS + post. mod.|EN IEC 61058-1:2018 |EN 61058-1-1:2016|EN 61058-1-2:2016|EN 61058-2-1:2011|EN 61058-2-5:2011|EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053259634

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
1504126

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.014

PRODUCT NET WEIGHT
0.014

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053053201

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
83

PACKAGING LENGTH
223

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1517738

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.14

PACKAGING WEIGHT UNIT
KGM


54 mm
54 mm
8 mm