

## Voice and data flat plate with dust cover for 1 element for 2 IBM® RJ45 connectors black Simon K45

REF. KB87/14



## BASIC INFORMATION

### DESCRIPTION

Plate for 1 and 2 Model KB87 / 14 connectors belonging to the professional range of products SimonK45 installations, with great capacity to adapt to other elements of the same Professional range. Voice and data plate Version plate with dust cover with 1 element for 2 RJ45 connectors with format Snap-fit IBM ®. It is a model of plate with colour and shades in black finishes, incorporates all the dimensions of certification of security thanks to Its components of character halogen-free thermoplastic, minimising the risk in the event of fires of the flame and smoke. It measures 45x45mm And 85mm of depth, maintaining a capacity to adapt and versatility That facilitates its integration into any type of systems and installations professionals.

### FINISH

Black

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

### PACKAGING CONTENTS

Flat voice and data plate with dust cover

### ETIM CLASS

EC000018

### REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### COMPATIBLE WITH CONNECTORS

IBM® RJ45 connectors.

### RJ45 CONNECTORS

Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### DUST PROTECTION

Yes

### FORMAT

RJ45

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### NUMBER OF MODULES

Half

### PLATE TYPE

Flat

### RAL

7021

### RJ45 ADAPTOR MODULE

Included in voice and data plate

### SNAP-FIT RJ45 PLATES

IBM® RJ45 connectors

### SNAP-FIT TYPE

IBM® RJ45 connectors

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### INSTALLATION TYPE

Suitable for surface and flush mounting

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.014

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING VOLUME

911400

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436035775

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.28

UNITARY PACKAGING VOLUME  
UNIT

MMQ

PACKAGING HEIGHT

70

PACKAGING NET WEIGHT

0.28

UNITARY PACKAGING GROSS  
WEIGHT

0.014

PACKAGING WIDTH

93

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

140