

## Angled voice and data plate without dust cover 1 element for 2 RJ45 aluminium Simon 500 Cima

REF. 50000186-033



## BASIC INFORMATION

### DESCRIPTION

With measures lamps, 50 x 50 millimetres and 21 millimetres of depth, we find this voice and data plate of the Simon 500 Cima. This plate without dust shutter, is inclined and is designed with an element to support two RJ45 connectors, with an aluminium finish, is committed to a modern design and very versatile. Belongs to the individual version of a single module. The plate includes the necessary for fastening clips on horizontal or vertical. It is designed in thermoplastic material, insulation, to protect the environment of the flame spread in case of fire management, in case you will reach temperatures are compatible with the product. The material of manufacture is not poison. The Simon 500 Cima series supports very variable temperature ranges, ranging from -5 degrees centigrade up to + 60 degrees centigrade. Its maintenance is very simple, as you just need to use a dry cloth to clean it.

### FINISH

Aluminium

### PACKAGING CONTENTS

Angled voice and data plate  
without dust cover

### ETIM CLASS

EC000018

### COMPATIBILITY

Simon 500 Cima enclosures

### REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### RJ45 CONNECTORS

Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

### DUST PROTECTION

No

### FORMAT

RJ45

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

### NUMBER OF MODULES

1

### PLATE TYPE

Angled

### RJ45 ADAPTOR MODULE

Not included in voice and data plate

### SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

### SNAP-FIT TYPE

Corresponding to combined MD module

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

### INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

### INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING MEASUREMENT  
UNIT  
MMT

UNITARY PACKAGING WIDTH  
0

PACKAGING EAN  
8421053095140

PACKAGING VOLUME  
1.472

UNITARY PACKAGING LENGTH  
0

UNITS CONTAINED PACKAGING  
20

PACKAGING VOLUME UNIT  
DMQ

UNITARY PACKAGING VOLUME  
0

PACKAGING HEIGHT  
88

PACKAGING GROSS WEIGHT  
0

UNITARY PACKAGING GROSS  
WEIGHT  
0.012

PACKAGING WIDTH  
123

PACKAGING NET WEIGHT  
0.24

PRODUCT NET WEIGHT  
0.012

PACKAGING LENGTH  
136

PACKAGING WEIGHT UNIT  
KGM

