

Back kit for 1 dimmer Simon 100

REF. 10010113-039



BASIC INFORMATION

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

TYPE OF MECHANISM

Momentary switch button

NOMINAL VOLTAGE (V~)

250 V~

INDICATOR FUNCTION

Yes

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION DIRECTION

Horizontal and vertical

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201268

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.125

PRODUCT NET WEIGHT

0.125

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053201268

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

76

PACKAGING WIDTH

90

PACKAGING LENGTH

88

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

601920

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.125

PACKAGING WEIGHT UNIT

KGM