

## Spotlight 740.00 Rail 3000K SWL White CR90 DL

REF. 74000330-993



### BASIC INFORMATION

#### APPLICATION

Accent lighting, General lighting

#### ETIM CLASS

EC001744

## TECHNICAL INFORMATION

### IP RATING

IP20

### COLOR TYPE

Warm

### PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

### COLOR TEMPERATURE (K)

3000 K

### LIGHTING EFFICIENCY (LM/W)

75 lm/W

### POWER (W)

30 W

### CRI

80

### LUMENS (LM)

2250 lm

### SERVICE LIFE

30.000 h

### L70 (°C)

30.000 h a 25°C

### LUMENS/W

2250 lm / 30W

### LIGHT BEAM APERTURE ANGLE (°)

60°

### OPTICS

Super Wide Flood

### CHROMATICS CRI ICONS

CRI  
90

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Rail

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WIDTH  
0

UNITARY PACKAGING LENGTH  
0

UNITARY PACKAGING VOLUME  
0

UNITARY PACKAGING GROSS  
WEIGHT  
0

PRODUCT NET WEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING EAN  
8421053264379

UNITS CONTAINED PACKAGING  
1

PACKAGING HEIGHT  
0

PACKAGING WIDTH  
0

PACKAGING LENGTH  
0

PACKAGING MEASUREMENT  
UNIT  
MMT

PACKAGING VOLUME  
0

PACKAGING VOLUME UNIT  
MMQ

PACKAGING GROSS WEIGHT  
0

PACKAGING NET WEIGHT  
0

PACKAGING WEIGHT UNIT  
KGM