Frame for 4 elements lead interior graphite Simon 82 Nature

REF. **82847-38**



BASIC INFORMATION

FINISH
Graphite

COMPATIBILITY
Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS
Frame with 4 elements

ETIM CLASS
EC000007

REMARKS
It is recommended to use the graphite finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1, 2, 3 and 4 elements

INNER FRAME
Graphite

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
4 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for flush mounting

REGULATIONS

REGULATIONS
UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053065143

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.32

PRODUCT NET WEIGHT
0.32

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053065143

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
37

PACKAGING WIDTH
127

PACKAGING LENGTH
346

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.727

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.32

PACKAGING WEIGHT UNIT
KGM

314 mm
94 mm
20 mm