


## Simon Slim System modular luminaire 4000K Symmetrical op 1.5 m DALI White

REF. 91772305-400



### BASIC INFORMATION

#### FINISH

White

#### APPLICATION

Domestic, Office, Retail, Hotel, Contract

#### PACKAGING DIMENSIONS (MM)

1465x85x85 mm

#### BODY MATERIAL

Aluminium

#### PACKAGING CONTENTS

1 unit

#### ETIM CLASS

EC001743

## TECHNICAL INFORMATION

### FREQUENCY

50 - 60 Hz

### CONTROL

DALI

### LIGHTING EFFICIENCY (LM/W)

Up to 82 lm/W

### IP RATING

IP20

### DIRECTIONAL

Yes

### LUMENS (LM)

4620 lm

### OPERATING TEMPERATURE RANGE (°C)

0 to 35°C

### DRIVER INCLUDED

No

### NUMBER OF LUMINAIRES

1

### POWER SUPPLY (V~)

48 Vdc

### ELECTRICAL CLASS

Type 3

### MACADAM STEPS

<3 Step MacAdam

### RAL

9016

### ENERGY EFFICIENCY

A+

### OPTICS

Symmetric

### COLOR TEMPERATURE (K)

4000K

### COLOR TYPE

CW

### POWER (W)

56 W

### CHROMATICS CRI ICONS

CRI  
90

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Suspended

## REGULATIONS

### WARRANTY

5 years

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8436547077663

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.86

### PRODUCT NET WEIGHT

0.736

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8436547077663

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

84

### PACKAGING WIDTH

83

### PACKAGING LENGTH

1465

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

10213980

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.86

### PACKAGING NET WEIGHT

0.736

### PACKAGING WEIGHT UNIT

KGM