PVC trunking of 2m 160x55mm with 2 compartments for K45 functions in white color

REF. **TK12122/9**



BASIC INFORMATION

DESCRIPTION

PVC channel of 2m in length and a section of 160x55mm, with 2 front compartments capable of mounting all functions of the K45 range without the need for accessories, achieving significant savings in assembly time. Regardless of the designed structure, it ensures the insulation of electrical wiring from voice, data, and multimedia, in addition to maintaining its correct bending radius throughout the distribution. It adapts to different architectures through its installation accessories, with the possibility of branching to Mini-channel and Cable guide via the pre-punched line. Manufactured from high-quality PVC in color RAL 9003, it is equipped with a protection rating of IP4X. We are talking about a fireproof, self-extinguishing, and flame-retardant material. The indicated price is per meter and is supplied in batches of 6 units (12 meters in total)

FINISH

White

COMPATIBILITY

Functions K45

MATERIAL

PVC

ETIM CLASS

EC001938

TECHNICAL INFORMATION

IK CLASSIFICATION
07

KIT AVAILABILITY
No

RAL
9003

IP RATING
IP4X

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

REMOVAL OF THE FRAME
Only with tool

SECURING POSSIBILITIES
With slots every 25cm for screw access

REMOVAL OF COVER
Only with tool

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
2.15

PRODUCT NET WEIGHT
2.15

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436028777

UNITS CONTAINED PACKAGING
12

PACKAGING HEIGHT
207

PACKAGING WIDTH
245

PACKAGING LENGTH
2020

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
102444300

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
25.8

PACKAGING NET WEIGHT
25.8

PACKAGING WEIGHT UNIT
KGM