

Downlight 725.23 surface-mounted fitting

REF. 72533030-039



BASIC INFORMATION

DESCRIPTION

For the installation of the luminaires Downlight 725, Simon has, on request, an accessory for surface mounting. It is an element affected by electrostatic currents, so it fitted carefully and according to the requirements and rules for electrical installations. It is recommended not to use abrasive products or chemical for cleaning, use a soft, dry cloth. Indoor lighting. Accessory Surface-mounted Downlight 725.23. You have the elements necessary for its placement. Is provided in individual boxes.

ETIM CLASS

EC002557

TECHNICAL INFORMATION

IP RATING

IP20

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Surface

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053122419

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.422

PRODUCT NET WEIGHT

0.422

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122419

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

65

PACKAGING WIDTH

258

PACKAGING LENGTH

258

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

4.327

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.422

PACKAGING NET WEIGHT

0.422

PACKAGING WEIGHT UNIT

KGM