BNC connector 75 Ohms female with trim plate black Simon K45

REF. **K102D/14**



BASIC INFORMATION

DESCRIPTION

This connector is within the range of products Simon K45 and more specifically is a BNC 75 Ohms female connector that includes the trim plate. The product is presented in an innovative and stylish black colour that will be ideal anywhere in the, where it is. The connector installation is very simple and can be carried out by means of flush mounted or directly on the surface-mounted. The product measures 22.5 x 45 millimetres. Its clamping is carried out by welding and its type of operation is by insertion. Only have to take into account the maximum length of cabling recommended for the connector is 90 metres, if the wire is a RG-6. The connector is made of metal components with halogen-free thermoplastic insulation, which gives it great resistance and hardness, which extends its service life. Additionally, these materials are self-extinguishing, i.e. that do not contribute to of fire propagation in case of fire and reduces the toxicity of smoke, so that increases the security of the final set.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

BNC 75 Ohms female connector

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 90 metres (RG-6 cable). For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,2 to 0,5 mm

CONNECTOR TYPE
BNC

NUMBER OF CONTACTS
1

NUMBER OF POSSIBLE ELEMENTS
1/2 element

FORMAT
BNC

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

RAL
7021

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

NUMBER OF WIRES
2

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.015

PRODUCT NET WEIGHT
0.015

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436046931

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
70

PACKAGING WIDTH
93

PACKAGING LENGTH
140

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
911400

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.15

PACKAGING NET WEIGHT
0.15

PACKAGING WEIGHT UNIT
KGM