
Metal tray for adjustable floor box for 6 elements for installation in concrete floor Simon 500 Cima

REF. **52052203-033**



BASIC INFORMATION

DESCRIPTION

Model 52052203-033 floor box The range of elements Simon 500 Cima professionals, compatible with other components Of the same series of elements. Elements professionals for a complete closure Of installations and assemblies systems professionals. Adjustable box, especially Designed for installation in flush mounted in concrete floors. Version of 6 elements For concrete floor, made of stainless steel with aluminium finishings integrates components. Components with trunking inlet access manufactured in Material self-extinguishing halogen-free thermoplastic that guarantees no Flame spread in case of fire and smoke. It is a box Adjustable measuring 363 x 363 x 75 mm, thus forming part of natural and versatile Different systems of assembly and installations professionals with a great capacity Combination with other types of elements.

FINISH

Aluminium

PACKAGING CONTENTS

Tray, protective cover, floor fixing screws and installation manual

ETIM CLASS

EC000114

MATERIAL

Steel

REMARKS

To complete the installation of the product, it must be combined with a concrete floor box for 6 elements in a grey (ref.52050003-035) or graphite finish (ref.52050003-038).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP4X

RECESS DIMENSION (MM)

363 x 363 mm

AVAILABLE IN

6, 8 and 12 elements

KIT AVAILABILITY

No

VERSION

6 elements

MAX TEMP DURING CONSTRUCTION WORK (°C)

+90 °C

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

IK CLASSIFICATION

08

NUMBER OF MODULES

6 modules

INSTALLATION AND MAINTENANCE

NUMBER OF CHANNEL ENTRIES
4

TYPE OF FASTENING
Using the screws supplied

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Specially designed for installation in concrete floors

SCREWS REQUIRED FOR SLAB FIXING
Minimum 2 (1 per side, diagonally). It is recommended to fix the bowl with 4 screws for complete fixation.

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 60670-23:2008

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053101766

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
5.45

PRODUCT NET WEIGHT
5.45

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053101766

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
375

PACKAGING WIDTH
80

PACKAGING LENGTH
370

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.111


PACKAGING VOLUME UNIT
HLT


PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
5.45

PACKAGING WEIGHT UNIT
KGM


75<>90
66


363
206
168
363


130
5′5
210