


## USB 2.0 connector type A champagne Simon 270

REF. 20000090-094



### BASIC INFORMATION

#### FINISH

Matt champagne

#### COMPATIBILITY

Simon 270 frames

#### ETIM CLASS

EC000018

#### MATERIAL

Thermoplastic

#### PACKAGING CONTENTS

USB connector, cover and  
instruction sheet

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

### REVISION

2.0

### CONNECTOR TYPE

USB

### TYPE OF COVER

Large

### NUMBER OF POSSIBLE ELEMENTS

1 element

### FORMAT

USB

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM

Insertion

### OPERATING TEMPERATURE RANGE (°C)

5 - 45 °C

### RAL

7048

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### USB CHARACTERISTICS

v2.0

### USB PORT TYPE

A

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION DIRECTION

Horizontal

### INSTALLATION TYPE

Suitable for flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053264577

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.048

### PRODUCT NET WEIGHT

0.048

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053264577

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

80

### PACKAGING WIDTH

55

### PACKAGING LENGTH

55

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

242000

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0

### PACKAGING NET WEIGHT

0.048

### PACKAGING WEIGHT UNIT

KGM



GND - 

D +

D -

R - Derecha / Direita / Droit / Right

+5V - VBUS (5V)

SH - Malla /Shell

