

## Ofiblock Compact assembled and wired with 4 French sockets and 1 rear hole in the last position

REF. KFC205040LP1/14



### BASIC INFORMATION

#### FINISH

Graphite

#### MATERIAL

Metal,Plastic

#### COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

#### ETIM CLASS

EC002759

## TECHNICAL INFORMATION

### FORMAT

French

### CURRENT (A)

16 A

### IP RATING

IP4X

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### MONOBLOCK

No

### RAL

7021

### VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS

Only with tool

### REMOVAL OF COVER

Only with tool

### EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

### INSTALLATION DIRECTION

Horizontal, Vertical

### REMOVAL OF THE PLATE

Only with tool

### SECURING POSSIBILITIES

Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

### REMOVAL OF THE SOCKET

Only with tool

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053322864

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING  
MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME  
UNIT

MMQ

UNITARY PACKAGING GROSS  
WEIGHT

0.548

PRODUCT NET WEIGHT

0.518

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING EAN

8421053322871

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

60

PACKAGING WIDTH

55

PACKAGING LENGTH

230

PACKAGING MEASUREMENT  
UNIT

MMT

PACKAGING VOLUME

759000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.548

PACKAGING NET WEIGHT

0.518

PACKAGING WEIGHT UNIT

KGM