

DisplayPort 2.0 female-to-female connector with trim plate white Simon K45

REF. K132A/9



BASIC INFORMATION

DESCRIPTION

Simon updates its range of multimedia connectors for K45 and S400. This time, we present the new DisplayPort 2.0 connector, featuring a female-to-female format for a direct, hassle-free connection, saving time during installation. It offers up to 80Gbps total bandwidth, supports resolutions up to 16K at 60Hz or dual 8K displays at 120Hz without compression, full HDR10 support, deeper color depths without DSC, and enhanced multi-monitor compatibility. Integrated into a white trim plate, it can be clipped into any K45 enclosure, as well as Simon 500 Cima using the range adapter.

FINISH

White

MATERIAL

Polycarbonate

COMPATIBILITY

Simon K45 enclosures for installation on wall, floor, ceiling, and furniture, and Simon 500 Cima enclosures (requires combining with the K45 to 500 Cima adapter).

ETIM CLASS

EC000018

REMARKS

Ensure the connector is compatible with the K45 enclosure or the 500 Cima adapter, avoid heating the patch cords, and keep the installation away from interference sources

TECHNICAL INFORMATION

NUMBER OF CONNECTORS

1

FORMAT

DisplayPort

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

CONNECTOR TYPE

DisplayPort

IP RATING

IP20

RAL

9016

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053341087

PRODUCT NET WEIGHT

0.024

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

648000

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053341087

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.058

UNITARY PACKAGING MEASUREMENT UNIT

MMT

PACKAGING HEIGHT

76

PACKAGING NET WEIGHT

0.024

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

88

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.058

PACKAGING LENGTH

88