Upper trim for mini columns with 1 side grey Simon K45

REF. **RALK009/8**



BASIC INFORMATION

DESCRIPTION

This product from the range Simon K45 is a upper trim mini specially designed for one-sided columns from the same series. Its grey colour allows it to integrate with columns of the same colour or graphite colour, but if you want to give modernity to the room you can also opt for creating contrasts, combining with other colours. Its measures are 70 x 60 millimetres and 3 millimetres of depth and is ideal to keep it as a replacement part in the event of loss of the original. Its manufacturing material is halogen-free thermoplastic that extends the service life of the product, which gives a high resistance. In this sense, in addition, as well as this halogen-free material is a commitment to safety as it does not flames in the case of fires and reduces the toxicity of smoke. Its installation is extremely simple, as well as its maintenance - it only requires wiping with a soft dry cloth without the need to use any type of chemical product.

FINISH

Grey

PACKAGING CONTENTS

Upper trim and fastening screws

MATERIAL

Plastic

ETIM CLASS

EC002980

REMARKS

Product envisaged as a replacement part, in the event of loss or substitution. It is supplied injected in grey plastic.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1-sided, 2-sided (square and oval) and 4-sided

DIELECTRIC STRENGTH
Without perforation or contournament with 2000 V at 50H during 1 minute

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

EARTHING RESISTANCE
< 0.05 ?

HEAT RESISTANCE (°C)
+125°C (according rule IEC 60695-10-2)

INSULATION RESISTANCE (V-MΩ)
5 MOhms at 500 V.

IP RATING
IP4X

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-25 a 120° C

RAL
7035

VERSION
1-sided

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
Using supplied screws

INSTALLATION DIRECTION
Horizontal

REGULATIONS

REGULATIONS
UNE-EN 50.085-2-4-:2006

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436056503

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.015

PRODUCT NET WEIGHT
0.015

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436056503

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
20

PACKAGING WIDTH
120

PACKAGING LENGTH
80

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.192

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.015

PACKAGING WEIGHT UNIT
KGM