# POINT 56 Spotlight Mini Rail 3000 K Spot DALI White

REF. **92061311-300**



## BASIC INFORMATION

| FINISH | MATERIAL | PACKAGING CONTENTS |
|---|---|---|
| White | Aluminium | 1 Unit |
| **BODY MATERIAL** | **APPLICATION** | **ETIM CLASS** |
| Aluminium injection moulding | Domestic,Office,Retail,Hotel,Contract | EC001744 |

## TECHNICAL INFORMATION

**FREQUENCY**
50 - 60 Hz

**IP RATING**
IP20

**OPERATING TEMPERATURE RANGE (ºC)**
0 - 35 ºC

**POWER SUPPLY (V~)**
220/240 V~

**RAL**
9016

**COLOR TEMPERATURE (K)**
3000 K

**CONTROL**
DALI2

**CHROMATICS CRI ICONS**

CRI 90

**CRI**
90

**DIRECTIONAL**
Yes

**DRIVER INCLUDED**
Yes

**ELECTRICAL CLASS**
II

**ENERGY EFFICIENCY**
A+

**L70 (ºC)**
150000h at 25ºC

**L90 (ºC)**
40000h at 25ºC

**COLOR TYPE**
NW

**LIGHTING EFFICIENCY (LM/W)**
hasta 79 lm/W

**LUMENS (LM)**
1070 lm

**NUMBER OF LUMINAIRES**
1

**MACADAM STEPS**
<3 Step MacAdam

**OPTICS**
Spot 18º

**POWER (W)**
14 W

## INSTALLATION AND MAINTENANCE

**INSTALLATION TYPE**
Rail

## REGULATIONS

EAC MARKED
No

ECORRAE MARKED
Yes

WARRANTY
5 years

## LOGISTICS INFORMATION

UNITARY EAN CODE
8436547052370

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.58

PRODUCT NET WEIGHT
0.4

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8436547052370

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
83

PACKAGING WIDTH
180

PACKAGING LENGTH
298

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
4452120

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.44

PACKAGING NET WEIGHT
0.4

PACKAGING WEIGHT UNIT
KGM