Bipolar socket 16A 250V ~ with connection system 1click® Simon 100

REF. **10000431-039**



BASIC INFORMATION

DESCRIPTION

Bipolar socket with 16 A and 250V mechanisms and with a cut-off clamping system (1 click from the Simon 100 series). Its engagement is insertion and it is a suitable socket for flush mounting and compatible with Simon 100 Series frames. The Simon 100 Series was born with the aim of simplifying things, because its main feature is the user-friendliness, a revolutionary range in terms of user-friendliness, appearance and technical innovation, because it is the first interface with pulsed use used. It supports a cable section of 1.5-2.5mm and can be installed in places where the temperature is between 0 and 40 ° C, although it can withstand extreme temperatures between -25 and 75 ° C. It is made of metal elements with thermoplastic insulation without halogen and for its manufacture has been followed by the standards UNE 20315-1-1: 2009, UNE 20315-1-2: 2009; IEC 60884-1 Ed 3.2.

COMPATIBILITY

Frames Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

FORMAT
Two-pole

INDICATOR FUNCTION
No

CURRENT (A)
16 A

IP RATING
IP20

TYPE OF MECHANISM
Insertion

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
0 - 40 °C

POWER SUPPLY (V~)
250 V~

STORAGE TEMPERATURE RANGE (°C)
-25 - 75 °C

VERSION
Unique

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
universal

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
1 click connection (1 click®)

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.406

PRODUCT NET WEIGHT
0.041

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053142080

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
65

PACKAGING WIDTH
125

PACKAGING LENGTH
195

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1584375

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.41

PACKAGING WEIGHT UNIT
KGM


L
N
N
N
simon
16/250~
100004XX-039
L
P
P