


2-way rotary switch 16A 250V~ with 3 positions

REF. 75234-39



BASIC INFORMATION

DESCRIPTION

Rotary switch with resistance for electrical elements of 16 Amps and 250 Volt 3 positions, one of them is used to stop and two other for the activation, among others, this rotary switch is ideal for ceiling fans. The wire supported in this case is 0.5 mm, something to be taken into account before installation. This 2-way switch is made of the best materials, giving the user or users all the security and durability you need for your electrical installation. It has different metal components with thermoplastic insulation and halogen-free. This product is part of the Simon 75 series, so that it is compatible with Simon 77 mechanisms and other products of the 82 and 88 series. This collection incorporates multiple options of design and great functionality, allowing combinations of all kinds to taste of the user and socket to its own needs.

COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature and Simon 82 frames

PACKAGING CONTENTS

Mechanism

ETIM CLASS

EC001590

REMARKS

Mechanism equipped with stop position and 2 other positions (ideal for ceiling fans)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

0,5 mm

CURRENT (A)

16 A

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

IP RATING

IP20

VERSION

Single

NUMBER OF FUNCTIONAL POSITIONS

3

TYPE OF MECHANISM

Rotary

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

Included

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Welding

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + + EN 61058:2002 + EN 61058:2002 A2:2008 + EN 61058-2-1:2011

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053255919

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

3017190

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.083

PRODUCT NET WEIGHT

0.083

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053033210

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

91

PACKAGING WIDTH

174

PACKAGING LENGTH

223

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3017190

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.83

PACKAGING NET WEIGHT

0.83

PACKAGING WEIGHT UNIT

KGM