

2RCA connector female with trim plate black Simon K45

REF. K101B/14



BASIC INFORMATION

DESCRIPTION

This connector for two links for audio and video RCA with trim plate is one of the elements of the collection Simon K45. It is 1 / 2 element, has two modules and has a beautiful finished in black, for its installation only we'll need a screw and is suitable for both surface-mounted and also to be recessed. It is recommended not to use a wire greater than 30 meters. Like all Simon products, it is manufactured with the best materials and metal components with thermoplastic insulation, halogen-free. Thanks to this, we will guarantee that the flame spread and is not a low toxicity in case of smoke fires. Because the security of people is essential to Simon. Simon is the benchmark in its scope thanks to the use of products of first quality, offering the latest in innovation and, above all, always with the maximum security for your users.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

2 female RCA, wire cable tie and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 30 meters For additional information, please read the instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

RCA

RAL

7021

CABLE SECTION ADMITTED (MM)

From 0,2 to 0,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

CONNECTOR TYPE

RCA

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

NUMBER OF CONTACTS

6

NUMBER OF WIRES

6

NUMBER OF POSSIBLE ELEMENTS

1/2 element

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436064676

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8426436064676

PACKAGING VOLUME

0.012

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

50

PACKAGING GROSS WEIGHT

0.022

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

42

PACKAGING NET WEIGHT

0.02

UNITARY PACKAGING GROSS
WEIGHT

0.02

PACKAGING LENGTH

50

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.02