Neutral push-button switch 10A 230V~ with built-in light and fast terminal connection system aluminium Simon 270

REF. **20000160-093**



BASIC INFORMATION

FINISH
Matt aluminium

MATERIAL
Thermoplastic

ETIM CLASS
EC000029

SYMBOL
Arrow,Star,On-off

COMPATIBILITY
Simon 270 frames

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

INDICATOR FUNCTION
Yes

NOMINAL VOLTAGE (V~)
230 V~

CONSUMPTION INDICATOR (MA)
1 mA

CURRENT (A)
10 A

POWER SUPPLY (V~)
127/230 V~

FORMAT
Push-button

IP RATING
IP20

RAL
9006

FREQUENCY
50 - 60 Hz

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)
127/230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
15

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

INSTALLATION DIRECTION
Horizontal, Vertical

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053302972

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.034

PRODUCT NET WEIGHT
0.034

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053302965

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
47.75

PACKAGING WIDTH
57

PACKAGING LENGTH
262

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
713098.5

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.17

PACKAGING WEIGHT UNIT
KGM


L
N