

Sound centre with 2 trunkings

REF. 05041-39



BASIC INFORMATION

COMPATIBILITY

Simon 75 mechanisms

PACKAGING CONTENTS

Sound centre, flush-mount box, RCA cable, 2 RCA adaptors and instruction sheet

ETIM CLASS

EC002484

REMARKS

The article includes flush-mount box.

TECHNICAL INFORMATION

AVAILABLE MARKET CE	INDICATOR FUNCTION Yes	POWER SUPPLY (V~) 230 V~
CABLE SECTION ADMITTED (MM) From 0,25 to 1,5 mm	IP RATING IP20	POWER SUPPLY CONNECTION INDICATOR Yes
AUXILIARY CURRENT OUTPUT 1	TYPE OF MECHANISM Push	REAR INPUT VIA TERMINALS Yes
NUMBER OF CONTACTS 27	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
FREQUENCY 50 - 60 Hz	OUTLET VOLTAGE (VDC) 12 VDC	NUMBER OF WIRES 11
FRONT RCA INPUT Yes	OUTPUT POWER (W) 40 VA	

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 6	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Own	INSTALLATION TYPE Suitable for flush mounting
--	---	--

REGULATIONS

REGULATIONS

UNE-EN 60065:2003 + UNE-EN 55013:2002 + A1:2004 + UNE-EN 61000-3-2:2006 + UNE-EN 55022:2000 + UNE-EN 61000-4-3:2003 + A1:2004 + UNE-EN 61000-4-4:2005 + UNE-EN 61000-4-11:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

PRODUCT NET WEIGHT
1.335

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING VOLUME
2868750

UNITARY PACKAGING LENGTH
0

PACKAGING EAN
8421053059074

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

UNITS CONTAINED PACKAGING
1

PACKAGING GROSS WEIGHT
1.335

UNITARY PACKAGING VOLUME
UNIT
MMQ

PACKAGING HEIGHT
85

PACKAGING NET WEIGHT
1.335

UNITARY PACKAGING GROSS
WEIGHT
1.335

PACKAGING WIDTH
125

PACKAGING WEIGHT UNIT
KGM

PACKAGING LENGTH
270