

two-pole socket outlet monoblock 16A 250V~ with safety device and screw terminal connection aluminium Simon 73 Loft

REF. 73431-53



BASIC INFORMATION

DESCRIPTION

Simon 73 Loft series includes within its mechanisms, the system for two-pole socket plug with monoblock and safety device. With a single element in its individual version and an aluminium finish, its reference is 73431-53. The rocker operation system is screwed and its operation is by insertion. The wire cross-section is 2.5mm and the stripping of wire necessary of 15mm. It measures 75x75mm. It is manufactured with several metal components with a halogen-free insulation. It incorporates a trim made of thermoplastic.

FINISH

Aluminium

PACKAGING CONTENTS

Socket outlet with cover and frame

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

Yes

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

NOMINAL VOLTAGE (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

FORMAT

Two-pole

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Insertion

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION TYPE

Suitable for surface mounting

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053068366

PACKAGING VOLUME
1.565

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0.44

UNITARY PACKAGING GROSS
WEIGHT
0.088

PACKAGING WIDTH
83

PACKAGING NET WEIGHT
0.44

PRODUCT NET WEIGHT
0.088

PACKAGING LENGTH
230

PACKAGING WEIGHT UNIT
KGM