DIN rail adaptor for MCB or RCCB Simon 500 Cima

REF. **50000076-039**



BASIC INFORMATION

DESCRIPTION

Within the Simon 500 Cima series is the DIN rail adapter that allows the installation of modular electrical equipment in electrical panels. This model adapts to the mechanism of circuit breaker and residual current circuit breaker of the same Simon 500 Cima series. Composed of two elements and with a white finish. It measures 50x41 mm It is manufactured in thermoplastic, halogen-free, guaranteeing no flame spread in the case of fire. Likewise, it guarantees low toxicity in the event of smoke.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Wall enclosures, mini towers, mini columns, columns and metal enclosures Simon 500 Cima

PACKAGING CONTENTS

DIN rail adaptor for installation in wall enclosures, mini towers, mini columns and metal enclosures Simon 500 Cima and installation manual

ETIM CLASS

EC001024

REMARKS

Universal design for installation in any Simon 500 Cima enclosure except for the floor boxes

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Adaptor for wall boxes, mini towers, mini columns, columns, metal enclosures, with a special version for floor boxes

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C in surface-mount wall installation and +90 °C in flush-mount wall installation

FORMAT
DIN

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

RAL
9003

VERSION
2 elements

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER
Only with tool

TYPE OF FASTENING
By direct snap-fit in the MCB or RCCB and combined with the frame holder (no tools needed for fastening))

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Suitable for installing in surface or flush-mount wall boxes, mini towers, mini columns, columns and metal enclosures

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60898-1:2003 + EN 60898-1:2003 A1:2004 + EN 60898-1:2003 A11:2005 + EN 60898-1:2003 A12:2008 + EN 60898-1:2003 A13:2012

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.014

PRODUCT NET WEIGHT
0.014

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053096284

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1472064

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.14

PACKAGING WEIGHT UNIT
KGM


41
50