


Side cover with direct access for 4 individual cables and 1 3pole connector for aluminum profiles Ofiblock Compact light gray Simon K45

REF. KCFC05/24



BASIC INFORMATION

DESCRIPTION

Side cover for individual cable access and 1 embedded quick connector (Wieland type) for integration into K45 Ofiblock Compact. Grey color and made from high-quality halogen-free, self-extinguishing thermoplastic components, preventing flame propagation and smoke toxicity in case of fire.

FINISH

Grey

COMPATIBILITY

Ofiblocks Compact and Line
Simon K45

ETIM CLASS

EC000011

MATERIAL

Plastic

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

KIT AVAILABILITY

No

RAL

7035

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER

Only with tool

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053290347

PACKAGING VOLUME
544320

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
20

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
72

PACKAGING GROSS WEIGHT
0.213

UNITARY PACKAGING GROSS
WEIGHT
0.008

PACKAGING WIDTH
72

PACKAGING NET WEIGHT
0.16

PRODUCT NET WEIGHT
0.008

PACKAGING LENGTH
105

PACKAGING WEIGHT UNIT
KGM