

Spotlight 740.00 Rail 3000 K Wide Flood Black

REF. 74000038-483



BASIC INFORMATION

DESCRIPTION

The Spotlight 740.00 Rail 3000K Wide Flood Black stands out for its stylish black colour with textured paint that has been applied thanks to a design with high thermal and a body manufactured in aluminium. Its installation type rail makes its installation in all types of spaces, commercial premises to restaurants, but also in the sector installations various retail.

This spotlight with the type of optics that there is more open in the range of spotlights, the wide flood optics. This type of optics makes it possible to achieve an angle of opening the light beam of up to 47 degrees, an angle very open, ideal for illuminating elements or spaces holes. By this this spotlight of Simon is used both to create a general lighting to create accent lighting.

The service life of this spotlight is a minimum of 30000 hours of lighting at 25 ° C with one of the most high lighting efficiencies between spotlights 740 range of Simon, with an interesting 87,33. Also we can highlight the colour temperature of the spotlight, which reaches the 3000 K and with this issues a warm white light type that is very interesting in a wide variety of spaces.

APPLICATION

Accent lighting, General lighting

ETIM CLASS

EC001744

REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

WW

OPTICS

Wide Flood

COLOR TEMPERATURE (K)

3000 K

LIGHTING EFFICIENCY (LM/W)

87,33 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

80

LUMENS (LM)

2620 lm

POWER (W)

30 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

2620lm/30W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053215135

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053215135

PACKAGING VOLUME

6412500

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

285

PACKAGING GROSS WEIGHT

1.2

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

150

PACKAGING NET WEIGHT

1

UNITARY PACKAGING GROSS
WEIGHT

1.2

PACKAGING LENGTH

150

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

1