

# Side blind cover for Ofiblock Compact and Ofiblock Line aluminium profiles light grey Simon K45

REF. ACFC01/24



## BASIC INFORMATION

### DESCRIPTION

It is a side blind cover for Ofiblock Compact aluminium profiles and Ofiblock Line with light grey finish, included in the series Simon K45, this piece has measures of 54 x 54 x 3 mm and is manufactured in thermoplastic material of character self-extinguishing and halogen-free. This means that, in case of fire, ensure that the fire is not propagate and also the low toxicity having smoke. It is a material very safe, which is also resistant to high temperatures. There is the option of providing this side cover with machined parts depending on the needs of the client and always under order. The product, in addition, it complies with the current regulation. For maintenance, it is sufficient to use a soft and dry cloth and lightly scrub it with it, avoid abrasive cleaners containing chlorine, as they could damage the cover.

### FINISH

Light grey

### COMPATIBILITY

Ofiblocks Compact and Line  
Simon K45

### PACKAGING CONTENTS

Side blind cover

### MATERIAL

Plastic

### ETIM CLASS

EC000011

### REMARKS

Can be supplied with machined parts depending on customer needs (upon request).

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### HEAT RESISTANCE (°C)

+125°C (according to standard  
IEC 60670)

### INSULATION RESISTANCE (V-MΩ)

>5 MOhm at 500 V

### IP RATING

IP4X

### KIT AVAILABILITY

Yes

### LINKABLE

No

### MAINTENANCE

Clean with a soft, dry cloth. Do  
not use abrasive cloths or  
cleaning products that contain  
chlorine.

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### RAL

7035

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COVER

Only with tool

### EXTINGUISHING (°C)

+850 °C (according to standard  
IEC 60670)

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.008

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

9720

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436039124

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

3.2

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

18

PACKAGING NET WEIGHT

0.16

UNITARY PACKAGING GROSS  
WEIGHT

0.008

PACKAGING WIDTH

27

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

20