

IR presence detector 127V~ 127V~ white Simon 26

REF. 2600342-030



BASIC INFORMATION

FINISH

White

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

6 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

NOMINAL VOLTAGE (V~)

127/220 V~

POWER SUPPLY (V~)

127/220 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

LOGISTICS INFORMATION

UNITARY EAN CODE

7506207325067

UNITARY PACKAGING VOLUME

UNIT

DMQ

PACKAGING HEIGHT

0

UNITARY PACKAGING HEIGHT

27

UNITARY PACKAGING GROSS
WEIGHT

0.061

PACKAGING WIDTH

0

UNITARY PACKAGING WIDTH

58

PRODUCT NET WEIGHT

0.03

PACKAGING LENGTH

0

UNITARY PACKAGING LENGTH

61

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

0

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0.096

PACKAGING EAN

7506207334953

PACKAGING NET WEIGHT

0.24

UNITS CONTAINED PACKAGING

8

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO






DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos

DIAGRAMA DE CONEXIÓN



VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos

DIAGRAMA DE CONEXIÓN

