Trim plate for cable outlet for 1 element black Simon K45

REF. **K10/14**



BASIC INFORMATION

DESCRIPTION

One of the best-selling products of the series Simon K45 is the Trim plate for cabling for one element in black colour. Incorporate rings to allow the cabling fixing using clamps and having a wire cross-section of 2.005 mm ^{2} are two of the great advantages of this element. Suitable for surface-mounted and recess, the dimensions of this plate are 45 x 45 x 9 mm Otra outstanding characteristics is its hardness and resistance of its structure, which has been manufactured with thermoplastic free of halogen components which guarantees no flame propagation in case of fire and the low toxicity in case of smoke. Also, the versions of plates provide access through a tube or cable gland with the combination of separate cabling and by means of 20 x 30 mm trunking All this with the best quality-price ratio that there are on the market today.

FINISH

Black

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Plate for cable outlet

ETIM CLASS

EC000011

REMARKS

Includes rings to fasten the cables using cable ties. Allows access for a wire cross section of 2,005 mm^2

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Plate versions with access through a tube or cable gland, using a combination of separate cabling and 20x30 trunking

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

INDICATOR FUNCTION
No

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

NUMBER OF MODULES
Half

RAL
7021

VERSION
Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
Fixing by direct snap-fit, no tools needed

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface and flush mounting

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.011

PRODUCT NET WEIGHT
0.011

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436036376

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
70

PACKAGING WIDTH
93

PACKAGING LENGTH
140

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
911400

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.22

PACKAGING NET WEIGHT
0.22

PACKAGING WEIGHT UNIT
KGM