

Flat voice and data plate with dust cover for 2 ADC Krone® RJ45 for 1 element white Simon 500 Cima

REF. 50017089-030



BASIC INFORMATION

DESCRIPTION

The system workplace solutions 500 Cima, which presents the home Simon is the most complete for all types of connections in professional environments. This system offers great advantages over other systems for work stations, especially in terms of speed and comfort in your installation. This is thanks to its new terminal connection system, once you have inserted the wire you only have to press and the mechanism itself to perform the click. In this way, it is not necessary to strip or intertwine the wire. You get some excellent results, with the maximum safety. This flat base plate with dust cover is part of the series 500 Cima. This manufactured with halogen-free thermoplastic components, with one element and 1 and 2 ADC Krone ® RJ45 connectors, for voice and data connections. Includes snap-fit for fastening in housings and with a white finish in colour, it is possible to integrate into any space or ambience.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate with
dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

ADC Krone® HK Keystone series.

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

ADC Krone® RJ45 connectors

SNAP-FIT TYPE

ADC Krone® RJ45 connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053096970

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS
WEIGHT

0.017

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

0.17

PRODUCT NET WEIGHT

0.017

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

