


Schuko Base with USB Charger C+C PD 20W Simon 75

REF. 7521432-039



BASIC INFORMATION

PACKAGING

Bulk

ETIM CLASS

EC000125

REMARKS

These USB C sockets require PD-compatible devices.

TECHNICAL INFORMATION

NUMBER OF CONNECTORS	LINKABLE	USB CHARACTERISTICS
2	Yes	2 USB = 5,0 VDC 3,0 A 15,0 W ; 1 USB = 5,0 VDC 3,0 A 15,0 W / 9,0 VDC 2,2 A 19,8 W / 12,0 VDC 1,7 A 20,4 W
CONNECTOR TYPE	MAXIMUM POWER (W)	
Schuko,USB C	4000	
NUMBER OF CONTACTS	MONOBLOCK	USB CURRENT (A)
3	No	1,6 A
FORMAT	OPERATING TEMPERATURE RANGE (°C)	USB PORT TYPE
Schuko,USB C	0 - 35 °C	C
FREQUENCY (HZ)	PLATE TYPE	POWER DELIVERY USB
50 - 60 Hz	Flat	Yes
INDICATOR FUNCTION	POWER SUPPLY (V~)	QUICK CHARGE USB
No	250 V~	Yes
CURRENT (A)	RECESS DIMENSION (MM)	USB VOLTAGE (V~)
16 A	45	5/12 V~
IP RATING		VOLTAGE (V~)
IP20		250 V~
		NUMBER OF WIRES
		3

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)	TYPE OF TERMINAL CONNECTION - FUNCTION 1	TYPE OF TERMINAL CONNECTION - FUNCTION 2
10	Screw	Schuko/USB: Screw

REGULATIONS

WARRANTY

3 years

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | IEC 60884-1 Ed 3.2 | ETSI EN 301489-34 V2.1.1 | UNE 20315-1-1:2017 | EN IEC 63000:2018 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053340370	UNITARY PACKAGING WEIGHT UNIT KGM	UNITS CONTAINED PACKAGING 1
UNITARY PACKAGING GROSS WEIGHT 0.066	UNITARY PACKAGING WIDTH 0	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053340370	PACKAGING VOLUME 329232
UNITARY PACKAGING LENGTH 0	PACKAGING GROSS WEIGHT 0.066	PACKAGING VOLUME UNIT MMQ
PRODUCT NET WEIGHT 0.055	PACKAGING HEIGHT 57	PACKAGING WEIGHT UNIT KGM
UNITARY PACKAGING VOLUME 0	PACKAGING LENGTH 76	PACKAGING WIDTH 76
	PACKAGING NET WEIGHT 0.055	