simon

Single rocker with light symbol for push button cold aluminium Simon 82 Detail

REF. 82018-93



BASIC INFORMATION

FINISH MATERIAL PACKAGING CONTENTS

Aluminium Plastic Single rocker and fastening bracket

SYMBOL COMPATIBILITY

Light Simon 75 and Simon 77 ETIM CLASS mechanisms EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with the same base colour as the selected rocker.



simon

TECHNICAL INFORMATION

NUMBER OF POSSIBLE

ELEMENTS

1 element

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain

chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008



simon

LOGISTICS INFORMATION

UNITARY PACKAGING GROSS WEIGHT

0.096

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING LENGTH

0

PRODUCT NET WEIGHT

0.096

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053120484

PACKAGING GROSS WEIGHT

0

PACKAGING HEIGHT

81

PACKAGING LENGTH

90

PACKAGING NET WEIGHT

0.48

UNITS CONTAINED PACKAGING

5

PACKAGING MEASUREMENT

UNIT

MMT

PACKAGING VOLUME

597780

PACKAGING VOLUME UNIT

MMQ

PACKAGING WEIGHT UNIT

KGM

PACKAGING WIDTH

82

