

Switch for blinds 10A 250V~ with 3 positions: up, down and stop ivory Simon 31

REF. 31333-61



BASIC INFORMATION

DESCRIPTION

Controls the natural light in your room with the switch for blinds of the collection Simon 31. With finishes in a stylish ivory colour, this switch with 3 positions engraved of up, down and stop, for that regulates the lighting to your taste. Equipped with control unit position to stop the raising and lowering of blinds, has a dimension of 64 x 65 mm, with 2 modules for 1 element, and a section of wire cross-section of 1.5 to 2.2 mm and stripping of 9 mm. Designed for installation using quick terminal connection, without the need for additional tools, this switch for blinds power is compatible with a voltage of 250 Volts and 10 Ampere current. It is made of metal components with halogen-free insulation and thermoplastic trim, for an effective protection of the room in case of fire. It can reach maximum temperatures of -25 to 50 °C.

FINISH

Ivory

PACKAGING CONTENTS

Mechanism with rocker

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000044

REMARKS

Mechanism with centre position to stop the up/down movement of the blinds.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

TYPE OF MECHANISM

Pivoting

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

9

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053081099

PACKAGING VOLUME
3.017

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0.725

UNITARY PACKAGING GROSS
WEIGHT
0.073

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.73

PRODUCT NET WEIGHT
0.073

PACKAGING LENGTH
223

PACKAGING WEIGHT UNIT
KGM