

On/Off Power supply LOOP Wall-mounted luminaire

REF. 98050000-199



BASIC INFORMATION

APPLICATION

Domestic, Office, Retail, Hotel, Contract Unit

PACKAGING CONTENTS

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

POWER SUPPLY (V~)

110/240 V~

ELECTRICAL CLASS

II

IP RATING

IP20

CONTROL

On/Off

ENERGY EFFICIENCY

A+

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

DRIVER INCLUDED

Yes

POWER FACTOR (Φ)

> 0,9

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Trimless

REGULATIONS

EAC MARKED

Yes

ECORRAE MARKED

Yes

WARRANTY

3 years

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8436547041909

PACKAGING VOLUME
0

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
0

PACKAGING GROSS WEIGHT
130

UNITARY PACKAGING GROSS
WEIGHT
0.13

PACKAGING WIDTH
0

PACKAGING NET WEIGHT
0.13

PRODUCT NET WEIGHT
0.13

PACKAGING LENGTH
0

PACKAGING WEIGHT UNIT
GRM