

Signal light for half element with E10 miniature screw ivory and non-coloured diffuser cover Simon 27 Play

REF. 27808-31



BASIC INFORMATION

DESCRIPTION

Luminous signaler half element with mignonnette E-10 screw, in ivory finish and colourless diffusive cover. It is part of the Simon 27 Play series. The power supply is 130 – 250V. This is the individual version, half an element and a single module has a signaling function and requires a stripped wire 12 millimetres. It also supports a wire cross-section from 1.5 to 2.5 mm It is made of metal components isolated without any type of halogen. The trim is thermoplastic. These materials advocate for the maximum quality and security, as they support very extreme temperatures that vary between -25 to + 50 degrees centigrade. The dimensions of the luminous signalling Simon are 22.5 x 45 millimetres. Its typology is Neon. It can be installed in surface-mounted and flush-mounted. It does not require too maintenance, simply, it is recommended to clean it with a soft and dry cloth, free of aggressive cleaners that contain chlorine.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Signal light

ETIM CLASS

EC000064

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

POWER SUPPLY (V~)

130/250 V~

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

Half element

TYPE

Neon

INDICATOR FUNCTION

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 27

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

EN 62094-1:2003+A11:2003 + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053253458

UNITARY PACKAGING HEIGHT

22.9

UNITARY PACKAGING WIDTH

45.8

UNITARY PACKAGING LENGTH

39.1

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.041

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.034

PRODUCT NET WEIGHT

0.03

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053010525

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

53

PACKAGING WIDTH

160

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.866

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.685

PACKAGING NET WEIGHT

0.6

PACKAGING WEIGHT UNIT

KGM