

Beacon 835 WW Indirect White

REF. 83520030-983



BASIC INFORMATION

APPLICATION

Indoor courtesy lighting

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

POWER SUPPLY (V~)

100/240 V~

COLOR TYPE

WW

IP RATING

IP20

CONTROL

On/Off

OPTICS

Translucent

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053122457

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053122457

PACKAGING VOLUME

0.75

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

75

PACKAGING GROSS WEIGHT

0.264

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

100

PACKAGING NET WEIGHT

0.264

UNITARY PACKAGING GROSS
WEIGHT

0.264

PACKAGING LENGTH

100

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.264