

**Single rocker with bell symbol for push button graphite  
Simon 82**

REF. 82017-38



## BASIC INFORMATION

### DESCRIPTION

This individual rocker with bell engraving for push-button switch in graphite colour and belongs to the Simon 82 series is presented in individual format and is available in 6 different finishes, the manufacturer recommends choosing the frame with the same baseboard colour of the selected rocker. The minimalist design and its various finishes make up the 82 Series, which combines simplicity and functionality. The product has dimensions of 55x55 mm and is manufactured in thermoplastic, complying with the regulation. It is suitable for surface and flush mounting. It withstands extreme temperatures (between -25 and 50°), although it is advisable to install it in an ambience whose temperatures range between 5 and 40°. The rocker and includes a small bell shaped engraving on the bottom end. For its correct maintenance, the manufacturer recommends cleaning the product with a soft cloth slightly moistened in soapy water. Also, it is not advisable to use cloths and / or abrasive cleaners containing chlorine.

### FINISH

Graphite

### MATERIAL

Plastic

### PACKAGING CONTENTS

Single rocker and fastening bracket

### SYMBOL

Bell

### COMPATIBILITY

Simon 75 and Simon 77 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Single

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical and horizontal

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053257500

### UNITARY PACKAGING GROSS WEIGHT

0.023

### PACKAGING LENGTH

223

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.023

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

1517738

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053049860

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

10

### PACKAGING GROSS WEIGHT

0.23

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

82

### PACKAGING NET WEIGHT

0.23

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

83

### PACKAGING WEIGHT UNIT

KGM