3 SOCKET FRONT-ENTRY ADAPTER WITH SWITCH SIMON

REF. **CL910402**



BASIC INFORMATION

DESCRIPTION

SIMON front-entry adapter with 3 x 16A Schuko-type sockets and an integrated switch to turn all connected devices on and off from a single point. Rated current 16 A, rated voltage 250 V~, maximum power 3680 W, made of polypropylene with a white finish. Screw fixing and child protection on the sockets. Ideal for workshops, offices and homes with lamps and small appliances.

FINISH

White

APPLICATION

Domestic

MATERIAL

Polypropylene

PACKAGING

Sleeve band

REMARKS

Does not convert voltage. Domestic and indoor use.

TECHNICAL INFORMATION

FORMAT
Euro-Schuko

NOMINAL VOLTAGE (V~)
250 V~

SOCKET LOCATION
Top

CURRENT (A)
16 A

NUMBER OF OUTLETS
3

VOLTAGE (V~)
250 V~

IP RATING
IP20

POWER SUPPLY (V~)
250 V~

MAXIMUM POWER (W)
3680

PLUG TYPE
F

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | DIN VDE 0620-2-1:2021 + A1:2023 | UNE 20315-2-5:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8412852983042

UNITARY PACKAGING HEIGHT
220

UNITARY PACKAGING WIDTH
50

UNITARY PACKAGING LENGTH
80

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
498520

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.137

PRODUCT NET WEIGHT
0.127

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
18412853011093

UNITS CONTAINED PACKAGING
6

PACKAGING HEIGHT
110

PACKAGING WIDTH
195

PACKAGING LENGTH
335

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
5376000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.4

PACKAGING NET WEIGHT
0.762

PACKAGING WEIGHT UNIT
KGM

simon

