


2-way switch 10AX 250V~ with screw terminal connection system Simon 73

REF. 73201-39



BASIC INFORMATION

DESCRIPTION

Functionality and innovation come together in the tilting 2-way switch of the collection Simon 73 Loft to give your room the guarantee maximum speed, convenience and workplace solutions of their electrical mechanisms. Made of metal materials with halogen-free thermoplastic isolated, it protects the room in case of fire, being able to reach maximum temperatures of -25 to 50 °C. At the time of its installation, the 2-way switch Simon 73 Loft is compatible with power supplies with a voltage of 250 Volt and an intensity of 10 AX, allowing a cable section of 1.5 to 2.5 mm and stripping of the 13 mm With screw terminal connection, allows the possibility of implementing the signaling function via the use of cradle blinking and rocker with viewer.

COMPATIBILITY

Simon 73 Loft and Simon 73 frames

PACKAGING CONTENTS

Mechanism

ETIM CLASS

EC001590

REMARKS

Possibility of implementing indicator function using a signal light support and rocker with viewer.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

NOMINAL VOLTAGE (V~)

250 V~

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Pivoting

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

INDICATOR FUNCTION

No

MONOBLOCK

No

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053255346

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.027

PRODUCT NET WEIGHT

0.027

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053028704

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

52

PACKAGING WIDTH

105

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1201200

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.305

PACKAGING NET WEIGHT


0.27

PACKAGING WEIGHT UNIT


KGM

MECANISMOS SIMON 73


Mecanismos básicos / Basic switches




Interrupor unipolar / Single-pole switch
73101-39




Pulsador / Push button switch
73150-39



Interrupor bipolar / Double pole switch
73131-39




Conmutador cruce / Intermediate switch
73251-39



Conmutador / 2-way switch
73201-39

Mecanismos con luminoso / Switches with light



Pulsador / Push button switch
73160-39