

Downlight 705.24 Tilt Square NW Wide Flood White

REF. 70524030-484



BASIC INFORMATION

DESCRIPTION

Designed with box directional, the Downlight 705.24 Square of Simon, provides the space of the latest LED technology linked to the most stylish and minimalist style. With WIDE FLOOD optics for greater amplitude angle light, has a colour temperature of 3900 K, giving the space a light of a white neutral characteristic of the NW. Being category A, for greater sustainability efficiency, it consists of a performance of 1080 lm, with a total luminaire consumption of 15.5 W and, in addition, it is compatible with power supplies 100-240 Volts and 50-60 Hertz rate. The energy savings of LED lighting, is coupled to a service life of 30,000 hours at an average temperature of 25 ° C and can reach a maximum of 40 ° C. Finished in white and designed for flush installation, with ON-OFF control insulating switching on both the luminaire and the optical body. Innovation, functionality and sophistication and guarantee Simon.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1080 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3900 K

COLOR TYPE

NW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

70 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1080 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.616

PRODUCT NET WEIGHT

0.616

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122334

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

145

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.034

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.616

PACKAGING NET WEIGHT

0.616

PACKAGING WEIGHT UNIT

KGM