# Ofiblock Compact mounted and wired with 2 sockets, 2 UPS sockets, and 1 rear diecut in the last position

REF. **KFC105022LP1/14**



## BASIC INFORMATION

### DESCRIPTION

KIT Ofiblock Compact offering maximum functionality in a compact size. With its minimal depth and wide range of accessories, it is suitable for installation on raised floors, walls, furniture, metallic surfaces with magnets, or on DIN rails. Designed to meet the specific needs of each space, it comes with pre-mounted and pre-wired K45 modules, providing a complete and efficient solution. It includes a side entry with a 3-pole male quick connector (Wieland type) and a rear knockout in the last position for optimal routing of the voice, data, or multimedia cable feeding the K45 module you choose to install. This module is electromagnetically protected and shielded thanks to the included protective tray. Self-extinguishing halogen-free thermoplastic covers protect the space in the event of a fire.

### FINISH

Black

### COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

### ETIM CLASS

EC002759

### REMARKS

Profile with higher compactness to enable convergence of power, voice, data and multimedia solutions with minimal depth

## TECHNICAL INFORMATION

### FORMAT
Schuko

### CURRENT (A)
16 A

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### HEAT RESISTANCE (°C)
+125°C (according to standard IEC 60670)

### IP RATING
IP4X

### RAL
7021

## INSTALLATION AND MAINTENANCE

### EXTINGUISHING (°C)
+850 °C (according to standard IEC 60670)

### INSTALLATION DIRECTION
Horizontal, Vertical

### SECURING POSSIBILITIES
Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053290507

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.518

PRODUCT NET WEIGHT
0.518

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053290507

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
60

PACKAGING WIDTH
55

PACKAGING LENGTH
320

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1056000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.548

PACKAGING NET WEIGHT
0.518

PACKAGING WEIGHT UNIT
KGM