

Single rocker for two-pole switch with pilot light and I/O symbol graphite Simon 75

REF. 75032-38



BASIC INFORMATION

DESCRIPTION

The individual rocker for double-pole switch with pilot and white I / O engraving Simon 75 has 6 different finishes, it is recommended to choose the frame with the same colour of the selected rocker. It can be installed in 2 different ways, surface mounting or flush mounting. The most common temperature ranges of the individual rocker for double-pole switch with pilot is 5 to 40° with a limit ranging from -25 to 50°. This type of rocker applies the regulation UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009. The main manufacturing material is thermostable with a plastic graphite finish. The rocker for double-pole switch with pilot light is of individual version and does not contain any module but an element. This model includes pilot and I / O engraving además to include the signaling function. It is recommended for the correct maintenance of the individual for double-pole switch with pilot to use a soft cloth slightly moistened in soapy water to clean it properly.

FINISH

Graphite

MATERIAL

Thermostable

PACKAGING CONTENTS

Single rocker and fastening bracket

SYMBOL

I/O (input/output)

COMPATIBILITY

Simon 75 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

Yes

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.02

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053044032

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3026595

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.1

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.1

UNITARY PACKAGING GROSS WEIGHT

0.02

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221