Plastic bucket for adjustable floor box with 3 double elements for floor pavement installation Simon Cima

REF. **G33**



BASIC INFORMATION

FINISH
Grey

MATERIAL
Thermoplastic

COMPATIBILITY
With adjustable floor boxes of 3 double elements for pavement and inspection covers of 3 double elements Simon Series S.

ETIM CLASS
EC000114

TECHNICAL INFORMATION

HEAT RESISTANCE (ºC)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

KIT AVAILABILITY

No

RECESS DIMENSION (MM)

220 x 227 mm

INSTALLATION AND MAINTENANCE

NUMBER OF CHANNEL ENTRIES

2

EXTINGUISHING (ºC)

+850 ºC / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

SCREWS REQUIRED FOR SLAB FIXING

Minimum 2 (1 on each side, diagonal). It is recommended to secure the mounting box with 4 screws for maximum secure fixation

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436013940

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.945

PRODUCT NET WEIGHT
0.945

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436013940

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
80

PACKAGING WIDTH
224

PACKAGING LENGTH
290

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
5196800

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.875

PACKAGING NET WEIGHT
0.945

PACKAGING WEIGHT UNIT
KGM