

Simon SM34 Wall Charging Point with T2 Socket Single-Phase 7.4 kW + Automatic and Differential + MID Meter

REF. 0650141-100



BASIC INFORMATION

FINISH

Graphite

APPLICATION

Residential

ETIM CLASS

EC002883

MATERIAL

ABS Plastic

OPERATING ENVIRONMENT

Residential

TECHNICAL INFORMATION

CONNECTOR TYPE

Type 2 Socket

IK CLASSIFICATION

10

TYPE OF LINE

Single-phase

ELECTRICITY METER

Yes

CURRENT (A)

32 A

MODE 3 STATUS INDICATOR

Yes

FREQUENCY

50 Hz

IP RATING

IP54

NUMBER OF OUTLETS

1

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED*1 | EN IEC 61851-1:2019 | EN IEC 61851-21-2:2021 | EN 62196-2:2017 | EN 62311:2008 | EN IEC 63000:2018 | ETSI EN 300 328 v2.2.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8431715258059

UNITARY PACKAGING HEIGHT

165

UNITARY PACKAGING WIDTH

237

UNITARY PACKAGING LENGTH

291

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

11379555

UNITARY PACKAGING VOLUME
UNIT

MMQ

UNITARY PACKAGING GROSS
WEIGHT

3

PRODUCT NET WEIGHT

3

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING EAN

8431715258059

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

165

PACKAGING WIDTH

237

PACKAGING LENGTH

291

PACKAGING MEASUREMENT
UNIT

MMT

PACKAGING VOLUME

11379555

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

3

PACKAGING WEIGHT UNIT

KGM