

Spotlight 640.10 Flush mount Rose Spot White

REF. 64010030-281



BASIC INFORMATION

DESCRIPTION

The range of the Company Simon of 640 spotlights, offers a solution for all the alternatives or problems that present the installations. Both in design and placing areas where the lighting to be very. To do this, the home Simon has created these surface-mounted and suspended spotlights for general or isolated lighting. Even to highlight parts or products very characteristic. Depending on the size and lighting power, will always find a reliable solution for your facilities. They comply with the most demanding, and are in constant renewal. This is a spotlight for flush mounting with the ease added benefit of its rotate or rotation according to your needs. Spotlight for indoor lighting. Spotlight 640 Flush-mounted Rose SPOT. Optics, which allows you to direct the light towards what you want to highlight with the light. Colour White. Category B colour temperature 1750 K. SPOT with lighting power 1200 lm / 23 W. Durability 30,000 h at 25 °C. 120-240 V 50 / 60 Hz. Switching on ON-OFF. Instant, without flashes that suffering glare. Temperature that supports 35 ° C maximum. Weight 1.4 kg For flush mounting dimensions 100x102.

APPLICATION

Accent lighting, General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DIRECTIONAL

Yes

LUMENS (LM)

1700 lm

IP RATING

IP20

DRIVER INCLUDED

Yes

LUMENS/W

1700 lm/30W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

ELECTRICAL CLASS

Type 1

OPTICS

Spot

POWER SUPPLY (V~)

120/240 V~

L70 (°C)

100,000 h at 25° C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

1750 K

L90 (°C)

30,000 h at 25 °C

POWER (W)

30 W

CONTROL

On/Off

COLOR TYPE

Rose

SERVICE LIFE

50.000 h

LIGHTING EFFICIENCY (LM/W)

57 lm/W

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Flush mount

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.4

PRODUCT NET WEIGHT

1.184

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053137970

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

160

PACKAGING WIDTH

200

PACKAGING LENGTH

250

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

8000000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

1.4

PACKAGING NET WEIGHT

1.184

PACKAGING WEIGHT UNIT

KGM