

## Power supply with LH ground 3-phase rail Black

REF. 99910138-039



### BASIC INFORMATION

#### APPLICATION

Domestic,Office,Retail,Contract

#### PACKAGING CONTENTS

1 Unit

#### ETIM CLASS

EC002556

### TECHNICAL INFORMATION

#### OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

#### CONTROL

On/Off

#### DRIVER INCLUDED

No

#### RAL

9005

#### DIRECTIONAL

No

#### ENERGY EFFICIENCY

A+

## INSTALLATION AND MAINTENANCE

### INSTALLATION ALTERNATIVES

Flush-mounted

### INSTALLATION TYPE

Surface-mounted / Flush-mounted

## REGULATIONS

### EAC MARKED

No

### ECORRAE MARKED

No

### WARRANTY

3 years

## LOGISTICS INFORMATION

|                                |                           |                        |
|--------------------------------|---------------------------|------------------------|
| UNITARY PACKAGING HEIGHT       | UNITARY PACKAGING WEIGHT  | PACKAGING MEASUREMENT  |
| 0                              | UNIT                      | UNIT                   |
|                                | KGM                       | MMT                    |
| UNITARY PACKAGING WIDTH        | PACKAGING EAN             | PACKAGING VOLUME       |
| 0                              | 8436547036813             | 0                      |
| UNITARY PACKAGING LENGTH       | UNITS CONTAINED PACKAGING | PACKAGING VOLUME UNIT  |
| 0                              | 1                         | MMQ                    |
| UNITARY PACKAGING VOLUME       | PACKAGING HEIGHT          | PACKAGING GROSS WEIGHT |
| 0                              | 0                         | 0.058                  |
| UNITARY PACKAGING GROSS WEIGHT | PACKAGING WIDTH           | PACKAGING NET WEIGHT   |
| 0                              | 0                         | 0.058                  |
| PRODUCT NET WEIGHT             | PACKAGING LENGTH          | PACKAGING WEIGHT UNIT  |
| 0.058                          | 0                         | KGM                    |