

Spotlight 740.00 Rail 4000K SWL Black

REF. 74000038-984



BASIC INFORMATION

APPLICATION

Accent lighting, General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

Neutral

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

89 lm/W

POWER (W)

30 W

CRI

80

LUMENS (LM)

2670 lm

SERVICE LIFE

30.000 h

L70 (°C)

30.000 h a 25°C

LUMENS/W

2670 lm / 30W

LIGHT BEAM APERTURE ANGLE (°)

60°

OPTICS

Super Wide Flood

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053264324

PRODUCT NET WEIGHT

1

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

6457500

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053264324

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

9.811

PACKAGING HEIGHT

287

PACKAGING NET WEIGHT

1

UNITARY PACKAGING VOLUME UNIT

DMQ

PACKAGING WIDTH

150

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

1.2

PACKAGING LENGTH

150