Trim plate for 2 RCA connectors (stereo audio) for 1 element white Simon K45

REF. **K101/9**



BASIC INFORMATION

DESCRIPTION

Trim plate for 2 RCA connectors class (stereo audio). This plate, white colour, it is a single element, it is part of the series Simon K45. The housings for fastening connectors are included and are rear screw. The connectors, on the other hand, must be purchased to part, as they are not included. This is the individual version of the trim plate white base of the series Simon K45, optimum for 2 or 3 RCA connectors with screw connection, it can be installed in two ways: On the surface-mounted or recessed and Variables supports temperatures ranging from -5 to the + 60 degrees centigrade. The manufacturing material is a special halogen-free thermoplastic that guarantees maximum security, minimising the risk of toxicity in case of smoke. The dimensions of the trim plate for RCA connectors are 45 x 22.5 mm, with a depth of 8.5 mm The maintenance of the product, only requires the cleaning the frame with a soft, dry cloth, free of abrasive cleaners.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Plate for 2 RCA connectors

ETIM CLASS

EC000018

REMARKS

The plate includes housings for fastening connectors with rear screw. Connectors not included (to be purchased separately).

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Versions with 2 and 3 RCA connectors with screw connection

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

FORMAT
RCA

INDICATOR FUNCTION
No

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

NUMBER OF MODULES
Four

RAL
9003

VERSION
Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
Fixing by direct snap-fit, no tools needed

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface and flush mounting

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
27216

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.006

PRODUCT NET WEIGHT
0.006

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436038110

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.12

PACKAGING NET WEIGHT
0.12

PACKAGING WEIGHT UNIT
KGM