

Simon SU3 submersible luminaire, made of white technical polymer, wall fastening, for prefabricated fibreglass or polyester pools

REF. 50-23063



BASIC INFORMATION

BODY MATERIAL

Technical polymer

SUPPLY AND PACKAGING

Packed in recycled cardboard with an identifying label to protect the product during transport and storage.

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

MAINTENANCE

Keep the diffuser surface clean to achieve maximum light flux. Use a damp rag without any type of harsh product or detergent. Lubricate the sealing gaskets and replace them when they are cracked. Lubricate the closures and/or hinges of the moving parts. Keep the thermal radiation surface clean to not lose light flux without shortening the life of the LEDs.

LOCKING SYSTEM

With stainless steel screws

RECYCLABILITY

Yes

SUPPLY VOLTAGE (VAC)

Input 220-240 VAC

REGULATIONS

ENEC+ CERTIFICATION

No

WARRANTY

5 years

REGULATIONS

EN-60598-4

LOGISTICS INFORMATION

UNITARY EAN CODE

8431715001693

UNITARY PACKAGING HEIGHT

195

UNITARY PACKAGING WIDTH

302

UNITARY PACKAGING LENGTH

302

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

17784780

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

1.925

PRODUCT NET WEIGHT

1.65

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8431715104950

UNITS CONTAINED PACKAGING

4

PACKAGING HEIGHT

320

PACKAGING WIDTH

415

PACKAGING LENGTH

625

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

83000000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

7.7

PACKAGING NET WEIGHT

6.6

PACKAGING WEIGHT UNIT

KGM